

Janice Chapman

From: Ian Brewster
Sent: 27 September 2013 09:55
To: Janice Chapman
Cc: Daniel Vick
Subject: Y/65/13/TC Tall Trees Church Road Yapton BN18 OEJ
Attachments: photo.JPG; ATT00001.txt; photo.JPG

Dear Janice,

Please find attached two pictures of the Sycamore as viewed from both directions along Church Road which is proposed for removal by the applicant of the above property. I regard this tree as healthy, in good condition and has immediate visual impact of public amenity as viewed from the highway. The Oak is set back behind the rear wall boundary of the adjacent property and is therefore less prominent. The low branches could be reduced away from the hedge. The flint wall located 2.5m from the tree does not show signs of distortion or disturbance. I would therefore recommend that this tree is protected by a Tree Preservation Order.

Yours sincerely

Ian Brewster

Janice Chapman

From: Janice Chapman
Sent: 01 October 2013 11:07
To: [REDACTED]
Subject: Y/65/13/TC - Surgery to various trees at Tall Trees, Church Road, Yapton

Dear Mr Blatherwick,

The Council's Arboriculturist, Mr Brewster has inspected the trees and has raised no objection to the surgery to the Poplar trees, Hawthorn hedge and the felling of the Leylandii tree. However, as the Sycamore tree is in a healthy and good condition and has public visual amenity value he has objected to its removal. He has suggested that the low branches could be reduced away from the hedge.

If you are happy to accept his recommendation then I can amend the description for works to the Sycamore tree.

Please advise.

Regards

Janice Chapman
Planner

Janice Chapman

From: Ian Brewster
Sent: 27 September 2013 09:55
To: Janice Chapman
Cc: Daniel Vick
Subject: Y/65/13/TC Tall Trees Church Road Yapton BN18 OEJ
Attachments: photo.JPG; ATT00001.txt; photo.JPG

Dear Janice,

Please find attached two pictures of the Sycamore as viewed from both directions along Church Road which is proposed for removal by the applicant of the above property. I regard this tree as healthy, in good condition and has immediate visual impact of public amenity as viewed from the highway. The Oak is set back behind the rear wall boundary of the adjacent property and is therefore less prominent. The low branches could be reduced away from the hedge. The flint wall located 2.5m from the tree does not show signs of distortion or disturbance. I would therefore recommend that this tree is protected by a Tree Preservation Order.

Yours sincerely

Ian Brewster

Janice Chapman

From: Nathan Blatherwick [REDACTED]
Sent: 01 October 2013 19:14
To: Janice Chapman
Subject: Re: Y/65/13/TC - Surgery to various trees at Tall Trees, Church Road, Yapton

Hello again,
Hope all's well and thank you for your response yes that sounds fine to crown lift the sycamore and not fell. I will advise my clients and carry out works accordingly.

Kind regards

Nathan

On 1 Oct 2013 11:32, "Janice Chapman" <Janice.Chapman@arun.gov.uk> wrote:

Dear Mr Blatherwick,

The Council's Arboriculturist, Mr Brewster has inspected the trees and has raised no objection to the surgery to the Poplar trees, Hawthorn hedge and the felling of the Leylandii tree. However, as the Sycamore tree is in a healthy and good condition and has public visual amenity value he has objected to its removal. He has suggested that the low branches could be reduced away from the hedge.

If you are happy to accept his recommendation then I can amend the description for works to the Sycamore tree.

Please advise.

Regards

Janice Chapman

Planner