CIVIL / STRUCTURAL DESIGN RISK MANAGEMENT

Abnormal or unusual residual risks associated with the design outcomes shown on this drawing are:–

RSK LDE LTD has followed its Design Risk Management process for Hazard Elimination and Risk reduction in developing the designs shown on this drawing.
Abnormal or unusual residual risks may be shown above where it is considered that such risk may not normally be expected by competent persons engaged on work of this nature or type.



Fire Tender Scania 8.1 P280 Overall

Length	8.100m
Overall Width	2.900m
Overall Body Height	3.300m
Min Body Ground Clearance	0.140m
Track Width	2.900m
Lock to lock time	4.00s
Wall to Wall Turning Radius	9.000m

Rev.	Date	Amendment	Drawn	Chkd.	Appd.
B	14.08.2020	Updated to latest architects information.	MFP	SM	SM
A	13.07.2020	Issued to support reserved matters application	MFP	SM	SM

RSK
LAND & DEVELOPMENT ENGINEERING LTD
18 Frogmore Road
Hemel Hempstead
Hertfordshire
HP3 9RT
United Kingdom
Tel: +44 (0) 1442 437500
Fax: +44 (0) 1442 437550
Email: info@rsk.co.uk
Web: www.rsk.co.uk

Client

BARRATT HOMES built around you
DAVID WILSON HOMES

Project Title

DROVE LANE, YAPTON

Status: PRELIMINARY

Drawing Title

SWEPT PATH FIRE APPLIANCE

Drawn	Date	Checked	Date	Approved	Date
MFP	13.07.2020	SM	13.07.2020	SM	13.07.2020

Scale	Orig Size	Dimensions
1:500	A0	Metres

Project No.	Drawing File
133647	133647-RSK-PLN_1_4041 Swept Path Fire Vehicle.dwg

Drawing No.	Rev.
PLN_1_4041	B

Scale 1:500
0 5 10 15 20 25m