



Orchard Business Park

Path (um)

NOTES

- DO NOT SCALE FROM THIS DRAWING. WORK FROM FIGURED DIMENSIONS ONLY.
- ALL DIMENSIONS SHOWN ON THIS DRAWING ARE IN METRES.
- ODYSSEY ACCEPTS NO LIABILITY FOR THE ACCURACY OF SURVEY INFORMATION AND LAYOUTS SUPPLIED BY OTHERS.
- THIS DRAWING IS BASED ON THE PLANNING LAYOUT PROVIDED BY GROFF PERRY ASSOCIATES. DRAWING REFERENCE: AB55-042, REVISION L.

LEGEND

- SITE BOUNDARY
- 20m MAXIMUM FIRE TENDER REVERSE DISTANCE
- 45m HOSE DRAG LENGTH
- 18m HOSE LENGTH TO DRY RISER

VEHICLE TRACKING DATA

DR30 FIRE APPLIANCE
OVERALL LENGTH: 8.680m
OVERALL WIDTH: 2.160m
OVERALL BODY HEIGHT: 3.450m
MIN BODY GROUND CLEARANCE: 0.337m
MAX TRACK WIDTH: 2.121m
LOCK-TO-LOCK TIME: 6.55s
KERB TO KERB TURNING RADIUS: 7.910m

FOR PLANNING PURPOSES ONLY

D	UPDATED TO SUIT REVISED SITE LAYOUT	JA	LH	LH	31.07.20
C	UPDATED TO SUIT REVISED SITE LAYOUT	LS	SG	LH	18.06.20
B	UPDATED TO SUIT REVISED SITE LAYOUT	BOHES	LH	LH	12.06.20
A	ISSUED FOR PLANNING	LS	SG	LH	10.01.20

Rev	Amendments	Drawn	Checked	Appr	Date

ODYSSEY

Tracey House
White Hart Lane
Barnsley
Telephone: 01226 321144
Fax: 01226 321144
E: info@odysseyconsult.co.uk
W: www.odysseyconsult.co.uk

FORD LANE, YAPTON

Drawing Title: **FIRE TENDER SWEPT PATH ANALYSIS**

Client: **REDROW**

Scale: 1:500 @A0	Date: OCT 2019	Designed: MS
Drawn: MS	Checked: SG	Approved: LH
Job No: 18-344	Drawing No: 18-344/101	Rev: D

REPRODUCED FROM ORDNANCE SURVEY (S) BY THE PERMISSION OF THE CONTROLLER OF HER MAJESTY'S STATIONERY OFFICE. © CROWN COPYRIGHT. ALL RIGHTS RESERVED. LICENCE NUMBER 100045322.